DOCUMENT RESUME

ED 387 122 IR 017 350

AUTHOR Van Nelson, C.; Henriksen, Larry W.
TITLE Using Neural Net Technology To Enhance the Efficiency of a Computer Adaptive Testing Application.
SPONS AGENCY Ball State Univ., Muncie, Ind.
PUB DATE 94
NOTE 40p.; A research paper presented at the Annual Meeting of the Mid-Western Educational Research Association (Chicago, IL, October 12-15, 1994).
PUB TYPE Reports - Research/Technical (143) -- Speeches/Conference Papers (150)

EDRS PRICE MF01/PC02 Plus Postage.
DESCRIPTORS Classification; College Freshmen; *Computer Assisted Testing; Computer Uses in Education; *Efficiency; *Evaluation Methods; Higher Education; Mathematics Tests; Multiple Choice Tests
IDENTIFIERS *Neural Networks

ABSTRACT

The potential for computer adaptive testing (CAT) has been well documented. In order to improve the efficiency of this process, it may be possible to utilize a neural network, or more specifically, a back propagation neural network. The paper asserts that in order to accomplish this end, it must be shown that grouping examinees by ability as determined by a two-parameter logistic model (or any other item response theory (IRT) model) may be replicated using a neural net. The data used for this study were collected as part of the 1993 summer orientation program conducted for incoming freshmen at a midwestern university. A mathematics test consisting of 40 five-response multiple-choice type items was administered to 1,615 freshmen. The process researchers followed involved several steps: (1) an attempt to determine the existence of a dominant factor (rather than strict unidimensionality); (2) using the BICAL3 program to obtain the ability estimates for the examinees and the difficulty and discrimination coefficients for the test items; (3) removing a sample from the group to train the neural net; and (4) using samples of examinees for which the response pattern and the group placement were known but samples that had not been used in training the neural net. It was discovered that the neural net procedure did manage to classify 80% of the subjects into the performance level groupings determined by the BICAL3 program. The most often missed classification was in the lowest performance level group. The limitations of the research are explored. It is concluded that this research does indicate that the neural net may be applied to testing. Four tables and four figures illustrate data. (MAS)

****
* Reproductions supplied by EDRS are the best that can be made *
* from the original document. *
****

ED 387 122

U.S. DEPARTMENT OF EDUCATION
Office of Educational Research and Improvement
EDUCATIONAL RESOURCES INFORMATION CENTER (ERIC)

☐ This document has been reproduced as received from the person or organization originating it.

☐ Minor changes have been made to improve reproduction quality.

• Points of view or opinions stated in this document do not necessarily represent official OERI position or policy.

Using Neural Net Technology to Enhance the Efficiency of a Computer Adaptive Testing Application

C. Van Nelson

Larry W. Henriksen

Ball State University

Muncie, Indiana

A Research Paper Presented at the Mid-Western Educational Research Association Annual Meeting
October 12 - 15. 1994
Chicago, Illinois

This research was partially supported through an internal grant from the Ball State University Office of Research and Sponsored Programs

IR017350

BEST COPY AVAILABLE

"PERMISSION TO REPRODUCE THIS MATERIAL HAS BEEN GRANTED BY

C. Van Nelson

TO THE EDUCATIONAL RESOURCES INFORMATION CENTER (ERIC)"

Introduction

The potential for computer adaptive testing (CAT) has been well documented. In order to improve the efficiency of this process, it may be possible to utilize a neural network, or more specifically, a back propagation neural network. In order to accomplish this end, it must be shown that grouping examinees by ability as determined by a two-parameter logistic model (or any other item response theory (IRT) model) may be replicated by using a neural net.

Two assumptions underlie the application of the logistic model: (1) the performance of an examinee on an item can be explained by a set of latent traits and (2) the relationship between performance of the examinees and the set of latent traits can be described by a monotonically increasing function (Hamilton, Swaminathan, and Rogers; 1991). The two parameter logistic function is of the form

$$P_i(\theta) = \frac{1}{1 + e^{-Da_i(\theta - b_i)}}$$

where θ is the ability of the examinee, a is the item discrimination parameter, b is the item difficulty parameter, and D is a scaling factor. It should be noted that in this form the numerator and denominator of the function have been divided by $e^{Da_i(\theta - b_i)}$ (see Hamilton, et al; 1991). The properties that make this model useful in testing are that the item parameters are invariant with respect to the examinee group used to calibrate them and the estimate of an examinee's ability, θ, is not dependent upon the items selected to measure this ability. It is also assumed that there is one dominant dimension of the trait being measured.

A neural net consists of multiple layers of nodes interconnected by paths leading from each of the nodes in one layer to each of the nodes in the next higher level of the net. The path from a node at a particular layer to a node at the next higher layer is weighted. This weight is an indication of the strength of association between the nodes. The lowest level of the network is called the input layer, the intermediate levels are known as the hidden layers, and the highest level is called the output layer. A neural net is trained with complete data in anticipation that the weights, and therefore the parameters determining the weights, stabilize (Gustafson, 1989).

The process of establishing these weights is called 'training' the neural net. This training takes place using a data set for which the outcomes are known. In this paper the net is trained using data for examinees, who have been grouped by a known performance level. The responses to each item on an examination become the input layer, with each item representing a node in this input layer. Each node in the output layer represents a different performance level group, where each examinee is placed in but one of these groups. The number of hidden layers may be varied, as may the number of nodes in these hidden layers. A diagram of a neural net is provided in Figure 1.

Insert Figure 1 about here

A mathematical function is defined at each node where the domain of the function is the vector of weights from the next lower layer or the input values for the input layer. The range of this function is usually real numbers between zero and one. One commonly used function is the sigmoid function which can be written

$$F(z) = \frac{1}{1+e^{-cz}}.$$

This function approaches zero as z becomes negatively infinite. As z becomes positively infinite, the function approaches one. The derivative of this function is $F'(z) = cF(z)[1 - F(z)]$. Therefore, the rate of change of the function is parabolic with respect to F(z).

In a three layer neural net with an input layer i; one hidden layer, j; and an output layer , the weights w_{ij} between the nodes on the i layer and the nodes on the j layer must be calculated, as must the weights, w_{jk}, between the nodes on the j layer and the nodes on the k layer. These weights are calculated so as to minimize the global error

$E = \frac{\sum_k (d_k - y_k)^2}{2}$, where d_k is the desired outcome and y_k is the actual outcome produced by the neural network at the k, or output, layer. The weights w_{ij} and w_{jk} are adjusted through the sigmoid function, F(z) described earlier, where $z_j = \sum_i w_{ij} y_i$ and $z_k = \sum_j w_{jk} y_j$. This adjustment, Δw_{jk} (the change in the weights between the j layer and the k layer), is derived using the gradient descent technique as shown in Figure 2)

Insert Figure 2 about here

After the change in weights, Δw_{jk} , between the j layer and k layer is derived, the result may be used to derive Δw_{ij} , the change in weights between the i layer and the j layer. This derivation is presented in Figure 3.

Insert Figure 3 about here

It is important to note that the change in the weights between the layers depends upon the output from the higher layers. This is the reason this model is called the back propagation neural net: the changes propagate back from the higher levels.

Although this is apparently the first application of neural net technology to CAT data, neural net models have been used in place of the more traditional statistical procedures for classification problems.. The results for studies by Scalia, Marconi, Ridelia, Arrigo, Mansi, and Mela (1989); Rosenblatt, Lelu, and Georgel (1989) and Nelson and Neff (1991) indicate the feasibility of this approach. In each case, an attempt is made to stabilize the net.

The data used for this study were collected as part of the 1993 Summer Orientation program conducted for incoming freshmen at a fairly large midwestern university (undergraduate enrollment of about 17,000 students). A mathematics test consisting of 40 five-response multiple-choice type items was administered to 1,615 freshmen. The test results are used to place students into appropriate mathematics courses suitable for satisfying the mathematics requirement for graduation.

Procedures

The process the researchers followed involved several steps. The first step was to attempt to determine the existence of a dominant factor (rather than strict unidimensionality). This was accomplished through factor analyses consisting of a principal components analysis and a principal axis solution for which a Varimax rotation was used. The Scree Test was used to help in determining the number of factors present for the data. The procedure Factor of SPSS, Release 4.1, for the VAX/VMS was used for the factor analyses. Problems associated with this means of testing for a dominant factor have been studied and different procedures for testing have been compared (see Nandukumar, 1994). Procedures like those discussed there were not used for this study.

The second step involved using the BICAL3 program to obtain the ability estimates for the examinees and the difficulty and discrimination coefficients for the test items. After the first run, items which did not fit the model as determined by a t test and examinees whose scores did not fit the model, again determined by a t test, were removed from a subsequent run used to calibrate the test items. The estimate of the ability of each subject was noted. Those examinees whose ability levels were one standard deviation or more below the mean were placed in ability group one. Examinees who scored between one standard deviation below the mean and the mean were placed in ability group two. Examinees who scored between the mean and one standard deviation above the mean were placed in ability group three. Performance level group 4 consisted of those examinees who scored more than one standard deviation above the mean.

The third step in this investigation was to remove a sample from the group to train the neural net. The neural net software used was NeuralWorks Professional II/Plus running under MS-DOS 6.2 for Windows (Neuralware, 1993). The response pattern for the item was used as input, and the group placement determined from the BICAL3 program became the desired output. After the neural net was trained, the weights were saved.

Step four involved using samples of examinees for which the response pattern and the group placement were known but samples that had not been used in training the net. The neural net was applied to these samples using weights calculated from step three. The success ratio, the ratio of the number of times the neural net placed an examinee in the correct group to the number of examinees in the group was calculated.

Results

The results of the principal components analysis identified the potential for the existence of three or four factors. The Scree test along with a comparison of different principal axis solutions led to the interpretation of a three factor solution. The results of the principal components analysis are reported in Table 1.

Insert Table 1 about here

Although there were eight eigenvalues that were equal to or greater than 1.00, only three appeared to represent interpretable factors. The principal axis analysis for a three-factor solution yielded the eigenvalue information reported in Table 2.

Insert Table 2 about here

In observing the factor structure resulting from the Varimax rotation, it was determined that 18 of the 40 items loaded primarily on Factor 1, with 14 of the 18 loadings being greater than .30; twelve of the items loaded primarily on Factor 2, with 10 of the 12 loadings being greater than .30; and 10 of the items loaded primarily on Factor 3 with three of the ten items having loadings greater than .30. Five of the items belonging to Factor 2 also had loadings on Factor 1 that were greater than .25. Additionally, one other item belonging to Factor 2 loaded on Factor 3.

On the basis of the factor analyses results, it was concluded that although the factor analyses did not produce a strong solution and there are probably two weak but interpretable secondary

factors, the evidence does support (in a limited way) the existence of a dominant dimension (see Hamilton et al., 1991).

The BICAL3 procedure was initially calibrated on scores ranging between 40% and 90% correct for the 40-item test. Nineteen examinees had scores above 36 and 297 had scores below 16. Therefore, this calibration of the test was performed with 1,299 examinees. A decision was made to remove items for which the t test statistic had an absolute value greater than 2.00. Similarly, examinees were removed from the calibration if the absolute value of the corresponding t test statistic for testing the fit of an examinee to the model was greater than 1.50. Items 6, 8, 19, 27, and 39 were removed as a result of the poor fit. Seventy-two examinees were removed as a result of not fitting the model. Five additional examinees were removed from the data set because they lacked identification numbers. A reanalysis resulted in the removal of six additional items: 20, 22, 23, 32, 33, and 34. Therefore, the final analysis was based on 29 of the 40 original items. The minimum and maximum score values for the range of inclusion were then readjusted to 12 and 28, respectively.

A second analysis of the data was conducted using all of the examinees in the original pool with the exception of the five without identification numbers. The number of examinees that scored below 12 was 205. Because no examinee scored above 28, the calibration was performed using the test results for 1,405 examinees.

The final analysis was made after eliminating examinees associated with t statistics larger in absolute value than 1.50. There were 103 examinees removed for this reason, leaving a total sample size of 1,507. After removing 205 examinees who scored below 12, 1,302 examinees remained for the final calibration. The mean ability expressed in logits for these examinees was .64 and the standard deviation was 1.05.

Presented in Table 3 are the items, item difficulties, item discrimination indices, and standard deviations. The mean difficulty index for the 29 items was 0.00 with a standard deviation of 1.54. The mean discrimination index was 1.07 with a standard deviation of 0.19.

Insert Table 3 about here

The test characteristic curve is presented in Figure 4. The reader should note the data summarized in Figure 4 provides the ability estimate expressed in logits along with the corresponding raw score.

Insert Figure 4 about here

On the basis of the estimated performance level for each examinee, the examinees were then classified as belonging to one of four performance level groups. Performance level groupings were defined as: Group 1, those with performance estimates less than -.30; Group 2, those with performance levels in the range of -.30 to .63 excluding .63; Group 3, those with scores in the range of .63 to 1.9, excluding 1.9; and Group 4: those with scores equal to or greater than 1.9. This is equivalent to subdividing the groups such that the 77 examinees in Group 1 were in the performance level range of scores less than one standard deviation below the mean; the 417 examinees of Group 2 were in the performance range between one standard deviation below the mean and the mean; the 632 examinees of Group 3 were in the performance level range of the mean to one standard deviation above the mean; and the 176 examinees of Group 4 scored at or higher than one standard deviation above the mean.

The BICAL3 program produces a file of examinees whose item responses were used in the calibration process. This file contains the performance score, recorded in logits, for each examinee. Because those examinees who had raw scores below 12 were excluded, the number of examinees in Group 1 is smaller than for the other groups. This resultant file was then matched with the original file of responses that also included the examinee identification code, the examinee's item response pattern, and the performance score for the reduced item set. An additional program written by the investigators produces yet another file that contains the response pattern for each examinee for the reduced 29 item test and a vector of zeroes and ones to indicate group membership.

The neural net consisted of an input layer with 29 nodes (one for each item), an output layer with four nodes (one for each performance group), and one hidden layer. For this particular analysis, 10 nodes were selected to be in the one hidden layer.

The neural net was trained with 400 examinees randomly selected from the 1,302 subjects used to calibrate the 29 item test. After the weights were established, two different independent samples of 200 were randomly chosen from the remaining 902 examinees. The results of the classification for each sample are shown in Table 4.

Insert Table 4 about here

Conclusions

The output from the NeuralWorks software is provided in Appendix A. The data for each examinee appears in one of two lines. The first line is the group placement as obtained from the BICAL3 procedure. The second line contains the output node values from the NeuralWorks software. If the group indicator code (1) of line one appears directly above the value closest to 1.0 in the second line, the classifications correspond and a success was obtained. If this is not the case, the NeuralWorks placement of the examinee is considered a failure.

The neural net procedure did manage to classify 80% of the subjects into the performance level groupings determined by the BICAL3 program. The most often missed classification was in the lowest performance level group. It is quite possible the examinees in this group managed to correctly answer some of the items with greater difficulty indices by guessing. This group also had the least number of subjects because of the cut-off point for performing the test calibration with BICAL3. Examinees having fewer than 12 items correct were not used in the calibration process. Therefore the neural net may not have been sufficiently trained to recognize examinees who would fall into this group.

Another difficulty was that the standard error of measurement for the ability of the examinee may have been too high. This would suggest that further work on the test may be needed and that the 80% success ratio by the neural net is the best one could expect.

It is quite possible that varying the parameters associated with the neural net may improve its performance. Changing the number of nodes in the hidden layer or increasing the number of hidden layers are possible variations from what the researchers have done that would improve the success ratio. The function used does not have to be the sigmoid function. Any function whose derivative can be expressed in terms of the original function and is bounded above and below is a candidate. The hyperbolic tangent is one such function.

This research does indicate that the neural net may be applied to testing. Although the neural net used in this research was trained to recognize an answer to an item as either correct or incorrect, it is possible to train a neural net to recognize that an item can be correct, incorrect or omitted. A subject could then be classified having been given a small subset of the available items.

Another application would be to train the neural network on a small number of items with widely varying difficulty indices. The examinees could be classified into groups using the neural net. At this point, examinees in a particular group could be given items with difficulty levels suitable for the group to obtain estimates of the ability of each subject.

It should be noted that the investigators did not write the test instrument used for this research. Although classical difficulty and discrimination indices along with reliability information has been used, this instrument was constructed by individuals having limited measurement expertise. The investigators were given the data base in response to a request made on the basis of believing this type of data would be appropriate for the procedure of interest. An added difficulty was that the more recent IRT programs were not available. It may well be that future investigations using more recent programs and a stronger test instrument may produce more encouraging results.

Works Cited

Gustafson, Steven. (1989). Neural Networks: Review of current technology. (Tutorial Notes). 5th annual aerospace applications of artificial intelligence conference. AAAIC. Dayton, Ohio.

Hamilton, Ronald K. Swaminathan, H. and Rogers, H.. Jane. (1991). Fundamentals of item response theory. Newbury Park, CA. Sage Publications.

Mead, Ronald J., Wright, Benjamin D., & Bell, Susan R. (1979). BICAL-3 [computer program]. Adapted for the VAX/VMS. University of Chicago. Chicago, Illinois.

Nandakumar, Ratna. (1994) Assessing dimensionality of a set of item responses--Comparison of different approaches. Journal of Educational Measurement. 31, 1, 17 - 35.

Nelson, C. V. and Neff, Kathryn J. (1991). Comparing and contrasting neural net solutions to classical statistical solutions, (ERIC Document Reproduction Service No. ED 326 377).

NeuralWorks Professional II/Plus. (1993). [computer program]. Version MS-DOS 6.2 for Windows. NeuralWare, Inc. Penn Center West, Building IV, Suite 227, Pittsburgh, Pennsylvania.

Rosenblatt, D., Lelu, A., & Georgel, A. (1989, October). Learning in a single pass: A neural model for principal components analysis and linear regression. Paper presented at the First IEE International Conference on Artificial Neural Networks, found in the transactions published by the Institution of Electrical Engineers, Short run Press Ltd., Great Britain. pp. 252-256.

Scalia, F., Marconi, L., Ridella, S., Arrigo, P., Mansi, C., & Mela, G. S. (1989, October). An example of back propagation: Diagnosis of Dyspepsia. Ibid. pp. 332-335.

SPSSX. [computer program] Release 4.1 for the VAX/VMS. SPSS Inc., Chicago, Illinois.



Figure 1

$$\Delta w_{jk} = -\eta \frac{\partial E}{\partial w_{jk}}$$

$$\frac{\partial E}{\partial w_{jk}} = -\frac{\partial E}{\partial z_k} \cdot \frac{\partial z_k}{\partial w_{jk}}$$

$$\frac{\partial z_k}{\partial w_{jk}} = y_j$$

$$\frac{\partial E}{\partial z_k} = \frac{\partial E}{\partial y_k} \cdot \frac{\partial y_k}{\partial z_k}$$

$$\frac{\partial E}{\partial y_k} = d_k - y_k$$

$$\frac{\partial y_k}{\partial z_k} = f'(z_k)$$

Therefore, $\Delta w_{jk} = -\eta(d_k - y_k)f'(z_k)y_j$

Let $\delta_k = (y_k - d_k)f'(z_k)$

Then $\Delta w_{jk} = \eta \delta_k y_j$

FIGURE 2

$$\Delta w_{ij} = -n\frac{\partial E}{\partial w_{ij}}$$

$$\frac{\partial E}{\partial w_{ij}} = \frac{\partial E}{\partial z_j} \cdot \frac{\partial z_j}{\partial w_{ij}}$$

$$\frac{\partial z_j}{\partial w_{ij}} = y_i$$

$$\frac{\partial E}{\partial z_j} = \sum_k \frac{\partial E}{\partial z_k} \cdot \frac{\partial z_k}{\partial z_j}$$

$$\frac{\partial z_k}{\partial z_j} = \frac{\partial z_k}{\partial y_j} \cdot \frac{\partial y_j}{\partial z_j}$$

$$\frac{\partial E}{\partial z_k} = -\delta_k$$

$$\frac{\partial z_k}{\partial y_j} = w_{jk}$$

$$\frac{\partial y_j}{\partial z_j} = f'(z_j)$$

$$\text{So } \Delta w_{ij} = \eta(\sum_k \delta_k w_{jk}) f'(z_j) y_i$$

FIGURE 3



FIGURE 4

Table 1

Summary Statistics for the Principal Components Analysis

Factor	Eigenvalue	Percentage of Variance	Cumulative Percentage
1	6.75	16.9	16.9
2	1.55	3.9	20.8
3	1.44	3.6	24.4
4	1.13	2.8	27.2
5	1.09	2.7	29.9
6	1.06	2.7	32.6
7	1.05	2.6	35.2
8	1.00	2.5	32.7

Table 2

Summary Statistics for the Principal Axis Analysis

Factor	Eigenvalue	Percentage of Variance	Cumulative Percentage of Variance
1	5.99	15.0	15.0
2	0.75	1.9	16.8
3	0.60	1.5	18.3

Table 3

Item Parameter Estimates for the 29 Retained Items

Item	Difficulty	Standard Error	Discrimination
1	-2.22	0.13	1.47
2	-1.08	0.08	1.13
3	-0.93	0.08	0.93
4	-0.26	0.07	0.87
5	-0.23	0.07	0.76
7	-0.16	0.07	1.05
9	-1.04	0.08	0.98
10	-0.27	0.07	1.22
11	-2.39	0.13	1.15
12	-2.72	0.15	0.63
13	-0.83	0.08	1.44
14	-2.14	0.12	1.21
15	-1.31	0.09	1.19
16	0 03	0.06	1.35
17	-1.19	0.09	1.18
18	-0.55	0.07	0.96
21	-0.72	0.08	0.85
24	0.93	0.06	1.14
25	1.62	0.06	1.16
26	1.14	0.06	1.09
28	1.96	0.07	0.92
29	3.24	0.09	0.92
30	0.28	0.06	1.12
31	1.12	0.06	0.91
35	2.19	0.07	1.07
36	2.18	0.07	1.04
38	1.83	0.06	1.09
40	1.71	0.06	1.08
Mean	0.00		1.07
S.D.	1.54		0.19

Table 4

A Summary of the Classification Success Using a Neural Net

Sample	N o f Successes	N of Failures	Success Ratio
1	160	40	.800
2	161	39	.805

APPENDIX A

bical.doc
mwera2.word

0.0000000	0.0000000	1.0000000	0.0000000
0.0244840	-.0644450	0.9662660	0.0708570
0.0000000	1.0000000	0.0000000	0.0000000
0.4794630	0.6237940	-.0778020	-.0057100
0.0000000	1.0000000	0.0000000	0.0000000
0.2022630	0.8124770	-.0066970	0.0048080
0.0000000	0.0000000	1.0000000	0.0000000
-.0401650	0.2044020	0.8616990	-.0145370
0.0000000	0.0000000	1.0000000	0.0000000
-.0171350	0.4896920	0.5505390	-.0106290
0.0000000	0.0000000	1.0000000	0.0000000
0.0137940	0.0617120	0.9501550	-.0263030
0.0000000	0.0000000	1.0000000	0.0000000
-.0101160	-.0825640	0.8607780	0.2709150
0.0000000	0.0000000	1.0000000	0.0000000
-.0535880	0.3134670	0.7748410	-.0259780
1.0000000	0.0000000	0.0000000	0.0000000
-.0420480	1.0049390	0.0347910	-.0128810
0.0000000	0.0000000	1.0000000	0.0000000
0.0485070	0.1526000	0.8396160	-.0383940
0.0000000	1.0000000	0.0000000	0.0000000
0.0296010	0.1498180	0.8295520	-.0123550
0.0000000	1.0000000	0.0000000	0.0000000
0.3093550	0.7230210	-.0152420	-.0168880
1.0000000	0.0000000	0.0000000	0.0000000
0.0183160	0.9672820	0.0145510	-.0141810
0.0000000	0.0000000	1.0000000	0.0000000
-.0163430	0.0383550	0.9978590	-.0175580
0.0000000	1.0000000	0.0000000	0.0000000
-.0063660	1.0813420	-.1140660	-.0071310
0.0000000	1.0000000	0.0000000	0.0000000
0.0237010	0.9124740	-.0170510	0.0416250
0.0000000	1.0000000	0.0000000	0.0000000
0.0822230	0.6817200	0.2022330	-.0034610
0.0000000	0.0000000	1.0000000	0.0000000
0.0022220	-.0359540	1.0122240	0.0307090
0.0000000	1.0000000	0.0000000	0.0000000
-.0546610	0.4294090	0.6494020	-.0360320
0.0000000	0.0000000	1.0000000	0.0000000
-.0232970	0.0749430	0.9692140	-.0142100
0.0000000	1.0000000	0.0000000	0.0000000
0.0450380	0.7505970	0.1852850	0.0143720
0.0000000	0.0000000	1.0000000	0.0000000
0.0434550	0.0931500	0.8874330	-.0272810

BEST COPY AVAILABLE

0.0000000	0.0000000	0.0000000	1.0000000
0.0688910	0.0111310	-.0400230	0.9324410
0.0000000	1.0000000	0.0000000	0.0000000
0.1632350	0.5202130	0.3033040	-.0082900
0.0000000	1.0000000	0.0000000	0.0000000
0.0753700	0.8464370	0.0381860	0.0307210
0.0000000	0.0000000	1.0000000	0.0000000
0.2369020	-.0021800	-.1167540	0.8680350
0.0000000	1.0000000	0.0000000	0.0000000
-.1239510	0.7765430	0.3739290	-.0303650
0.0000000	0.0000000	1.0000000	0.0000000
-.0896620	0.5799160	0.5521650	-.0133690
0.0000000	0.0000000	1.0000000	0.0000000
-.0108270	0.3516440	0.1645830	0.3785030
0.0000000	0.0000000	1.0000000	0.0000000
0.0247490	-.0231610	0.4854960	0.4832060
0.0000000	0.0000000	1.0000000	0.0000000
-.1059060	0.1930220	0.9470090	-.0280440
0.0000000	0.0000000	1.0000000	0.0000000
-.1391560	0.2827260	0.9429400	-.0455570
0.0000000	1.0000000	0.0000000	0.0000000
0.3276140	0.6735240	0.0044190	-.0494940
0.0000000	0.0000000	1.0000000	0.0000000
-.0658360	0.1351030	0.9006810	0.0386860
0.0000000	0.0000000	1.0000000	0.0000000
-.0436330	0.0942310	0.9679430	-.0145720
0.0000000	0.0000000	0.0000000	1.0000000
0.0352060	-.0362680	0.0596430	0.9122370
0.0000000	1.0000000	0.0000000	0.0000000
0.1274540	0.7935200	0.0617200	0.0143900
1.0000000	0.0000000	0.0000000	0.0000000
0.5077340	0.6031460	-.0489550	-.0654520
0.0000000	1.0000000	0.0000000	0.0000000
0.0099730	0.9885670	-.0207670	0.0133080
0.0000000	0.0000000	1.0000000	0.0000000
-.0235850	0.2518700	0.8009280	-.0096210
0.0000000	0.0000000	0.0000000	1.0000000
-.0185200	0.0266770	0.2444060	0.6994470
0.0000000	1.0000000	0.0000000	0.0000000
0.2835200	0.9930740	-.2565130	0.2325920
0.0000000	1.0000000	0.0000000	0.0000000
-.0902770	0.9445130	0.1578580	-.0323490
0.0000000	1.0000000	0.0000000	0.0000000
0.0859610	1.2035890	-.2564930	-.0013570

0.0000000	1.0000000	0.0000000	0.0000000
-.0065390	1.0623471	-.1073900	-.0129880
0.0000000	1.0000000	0.0000000	0.0000000
0.2566820	0.6650010	0.0747150	0.0117680
0.0000000	0.0000000	0.0000000	1.0000000
0.0114810	-.0384470	0.0751100	0.9218820
0.0000000	1.0000000	0.0000000	0.0000000
-.1496130	0.9957870	0.1247540	-.0230980
0.0000000	1.0000000	0.0000000	0.0000000
0.0307600	0.8229180	0.1306950	0.0115490
0.0000000	0.0000000	1.0000000	0.0000000
-.0206820	0.7014070	0.3100140	0.0021530
0.0000000	1.0000000	0.0000000	0.0000000
0.1592570	0.9118530	-.0375320	-.0081310
0.0000000	1.0000000	0.0000000	0.0000000
-.0030800	0.9874620	-.0220960	-.0128040
0.0000000	1.0000000	0.0000000	0.0000000
0.1377220	0.4984710	0.2927300	0.0443870
0.0000000	1.0000000	0.0000000	0.0000000
-.0957850	0.9684970	0.1647770	-.0376570
0.0000000	1.0000000	0.0000000	0.0000000
0.0487570	0.9297060	0.0090350	-.0170660
0.0000000	0.0000000	0.0000000	1.0000000
0.0676440	0.0193020	0.0040100	0.8772280
0.0000000	1.0000000	0.0000000	0.0000000
0.4521800	0.6118050	-.0280880	-.0335520
0.0000000	0.0000000	0.0000000	1.0000000
-.0079480	-.0563480	0.1267360	0.9211930
0.0000000	1.0000000	0.0000000	0.0000000
-.0817980	1.2705660	-.2391640	-.0716290
0.0000000	1.0000000	0.0000000	0.0000000
0.1907740	0.5297330	0.2579310	-.0037150
0.0000000	1.0000000	0.0000000	0.0000000
-.0554160	1.0891870	-.0809920	-.0254100
0.0000000	0.0000000	1.0000000	0.0000000
0.0675840	0.2569150	0.7280920	-.0373040
1.0000000	0.0000000	0.0000000	0.0000000
0.2418620	0.9349000	-.1324130	-.0089940
0.0000000	1.0000000	0.0000000	0.0000000
0.2103580	0.9059490	-.0804170	0.0202200
0.0000000	0.0000000	0.0000000	1.0000000
-.0114250	0.0206210	0.1485940	0.7978600
0.0000000	1.0000000	0.0000000	0.0000000
0.0783820	0.7671640	0.1526910	-.0066180

0.0000000	0.0000000	0.0000000	1.0000000
0.0640000	0.0151460	0.0240990	0.8556590
0.0000000	0.0000000	1.0000000	0.0000000
-.1111350	0.1308660	1.0163850	-.0258220
0.0000000	1.0000000	0.0000000	0.0000000
0.2415340	1.1973730	-.2778220	-.0707300
0.0000000	0.0000000	1.0000000	0.0000000
0.0332010	-.0582500	0.8007100	0.2274350
0.0000000	0.0000000	1.0000000	0.0000000
0.0921220	0.5641510	0.3263140	0.0225460
0.0000000	0.0000000	1.0000000	0.0000000
0.0223860	0.0770730	0.9438760	-.0539110
0.0000000	0.0000000	0.0000000	1.0000000
-.0086110	0.1318420	-.0718730	0.9191060
0.0000000	1.0000000	0.0000000	0.0000000
0.0131910	0.0541460	0.9709360	-.0433460
0.0000000	0.0000000	1.0000000	0.0000000
0.0070240	-.0632160	0.9568220	0.1149010
0.0000000	0.0000000	1.0000000	0.0000000
0.0409790	-.0354560	0.9948660	0.0170570
0.0000000	0.0000000	1.0000000	0.0000000
-.0525880	0.0828410	0.5334350	0.3981580
1.0000000	0.0000000	0.0000000	0.0000000
-.0102750	0.6988150	0.3499170	-.0916890
0.0000000	0.0000000	1.0000000	0.0000000
0.0020360	-.0183540	0.9930670	0.0286130
0.0000000	0.0000000	1.0000000	0.0000000
0.0973940	0.3018120	0.6084350	-.0089280
0.0000000	1.0000000	0.0000000	0.0000000
0.0406600	0.2809420	0.6676960	0.0049460
0.0000000	1.0000000	0.0000000	0.0000000
0.1689140	0.7030500	0.0410140	-.0020350
0.0000000	1.0000000	0.0000000	0.0000000
0.1480920	0.9759630	-.1067300	0.0112180
0.0000000	0.0000000	1.0000000	0.0000000
0.0066290	-.0423100	1.0101310	0.0234720
0.0000000	1.0000000	0.0000000	0.0000000
0.0792030	0.9737540	-.0619740	-.0512440
0.0000000	0.0000000	1.0000000	0.0000000
0.0087520	-.0513530	1.0704750	-.0219810
0.0000000	1.0000000	0.0000000	0.0000000
0.1874440	0.6456360	0.1792940	-.0125310
0.0000000	0.0000000	1.0000000	0.0000000
-.0071590	-.0807910	1.0455300	0.0596930

0.0000000	0.0000000	1.0000000	0.0000000
-.0070590	0.4038810	0.6690640	-.0385860
0.0000000	1.0000000	0.0000000	0.0000000
0.1757100	0.9342540	-.0895420	-.0036630
0.0000000	0.0000000	1.0000000	0.0000000
0.0199870	0.0530260	0.5261400	0.3526650
0.0000000	0.0000000	1.0000000	0.0000000
0.0065390	-.0507500	1.0034730	0.0484150
0.0000000	0.0000000	0.0000000	1.0000000
-.0052390	-.0475470	0.2789450	0.7635880
0.0000000	0.0000000	0.0000000	1.0000000
0.0109530	-.0632440	0.6189750	0.4528250
0.0000000	0.0000000	0.0000000	1.0000000
-.0087090	-.0537490	0.4884830	0.5884480
0.0000000	0.0000000	0.0000000	1.0000000
-.0193660	-.0452530	0.8817740	0.2046500
0.0000000	0.0000000	1.0000000	0.0000000
-.0109750	0.0087720	1.0236830	-.0173580
0.0000000	0.0000000	0.0000000	1.0000000
-.0010980	0.0278470	0.1171380	0.8109760
0.0000000	1.0000000	0.0000000	0.0000000
0.0203170	0.7210350	0.2439820	0.0185500
0.0000000	1.0000000	0.0000000	0.0000000
0.0398700	1.2299809	-.2464680	-.1179660
0.0000000	0.0000000	1.0000000	0.0000000
-.0035180	-.0311640	1.0422320	-.0044530
0.0000000	0.0000000	1.0000000	0.0000000
-.0387830	-.0446190	0.9959710	0.0956900
0.0000000	1.0000000	0.0000000	0.0000000
0.0228950	0.8988140	0.0703980	0.0047560
0.0000000	0.0000000	1.0000000	0.0000000
-.0066340	-.0659860	0.9971170	0.0955450
0.0000000	1.0000000	0.0000000	0.0000000
0.0371580	0.9910440	-.0391150	0.0186790
0.0000000	1.0000000	0.0000000	0.0000000
0.1829360	0.7742460	0.0384220	-.0407160
0.0000000	0.0000000	0.0000000	1.0000000
0.0474300	0.0291100	0.1417730	0.7273030
0.0000000	1.0000000	0.0000000	0.0000000
0.1631830	0.9952190	-.1460430	0.0059120
0.0000000	1.0000000	0.0000000	0.0000000
-.0213000	1.0505100	-.0298190	-.0262000
0.0000000	1.0000000	0.0000000	0.0000000
-.0008310	0.0274050	0.9884670	-.0241030

0.0000000	1.0000000	0.0000000	0.0000000
0.0034000	0.2227210	0.7570280	-.0053980
0.0000000	1.0000000	0.0000000	0.0000000
0.0025010	-.0560730	0.1025770	0.9314800
0.0000000	0.0000000	1.0000000	0.0000000
0.0478850	0.4310000	0.5174160	0.0002500
0.0000000	1.0000000	0.0000000	0.0000000
0.0025010	-.0560730	0.1025770	0.9314800
0.0000000	1.0000000	0.0000000	0.0000000
-.0474930	1.2678469	-.2511390	-.1151640
0.0000000	0.0000000	1.0000000	0.0000000
0.0252630	0.0791620	0.4809910	0.3034610
0.0000000	0.0000000	1.0000000	0.0000000
0.0158620	-.0762700	0.8498570	0.2317970
0.0000000	1.0000000	0.0000000	0.0000000
0.1150010	0.5062800	0.2010530	0.0464660
0.0000000	0.0000000	1.0000000	0.0000000
0.0449760	0.0259350	0.6514190	0.2230110
0.0000000	0.0000000	0.0000000	1.0000000
-.0145750	-.0692310	1.0234690	0.0796710
0.0000000	1.0000000	0.0000000	0.0000000
-.0220670	0.7192110	0.3551250	-.0457280
0.0000000	0.0000000	1.0000000	0.0000000
0.0119560	-.0039500	1.0113040	-.0185490
0.0000000	0.0000000	1.0000000	0.0000000
0.0318280	0.0292930	0.9744590	-.0350650
0.0000000	1.0000000	0.0000000	0.0000000
0.6365760	0.9731120	-.2741430	-.1061940
1.0000000	0.0000000	0.0000000	0.0000000
0.1085650	1.1209240	-.1734380	-.0650290
0.0000000	1.0000000	0.0000000	0.0000000
-.0105460	0.6521960	0.3245750	-.0410700
0.0000000	1.0000000	0.0000000	0.0000000
0.0657240	0.9724980	-.0405920	-.0145130
0.0000000	0.0000000	1.0000000	0.0000000
0.1185310	0.1256110	0.8078680	-.0552410
0.0000000	1.0000000	0.0000000	0.0000000
-.1431850	0.2522830	0.9772160	-.0469650
0.0000000	1.0000000	0.0000000	0.0000000
0.0821700	0.6867250	0.2205780	-.0288360
0.0000000	1.0000000	0.0000000	0.0000000
-.0494310	0.7923030	0.3081260	-.0718400
0.0000000	0.0000000	0.0000000	1.0000000
0.0098840	-.0692720	0.2453610	0.8117040

0.0000000	0.0000000	1.0000000	0.0000000
0.1279990	0.1249860	0.7887760	-.0383200
0.0000000	1.0000000	0.0000000	0.0000000
0.4644740	0.8022350	-.1507100	-.0138020
0.0000000	0.0000000	1.0000000	0.0000000
-.0410550	0.0621230	0.9922920	-.0092130
0.0000000	0.0000000	1.0000000	0.0000000
-.0161690	0.0704940	0.9482210	0.0068730
0.0000000	0.0000000	1.0000000	0.0000000
0.0299690	0.0973200	0.9117880	-.0261930
0.0000000	0.0000000	1.0000000	0.0000000
-.0595440	0.2630860	0.8188450	-.0187070
0.0000000	0.0000000	1.0000000	0.0000000
-.0216810	-.0474440	1.0793500	-.0069550
0.0000000	1.0000000	0.0000000	0.0000000
0.1111380	0.9971930	-.0836700	-.0149330
0.0000000	0.0000000	0.0000000	1.0000000
-.0181700	-.0733330	1.0044240	0.1120860
0.0000000	0.0000000	1.0000000	0.0000000
0.0159690	-.0713380	0.9007060	0.1751090
0.0000000	0.0000000	1.0000000	0.0000000
0.0187910	-.0022170	0.9867590	0.0034390
0.0000000	0.0000000	1.0000000	0.0000000
0.1103050	0.1147270	0.5363300	0.1703630
0.0000000	1.0000000	0.0000000	0.0000000
-.0421020	1.0188450	0.0172100	-.0123150
0.0000000	0.0000000	1.0000000	0.0000000
-.0717090	0.5431390	0.5710110	-.0030610
0.0000000	0.0000000	1.0000000	0.0000000
0.0377200	0.0815490	0.9068130	-.0354200
0.0000000	0.0000000	1.0000000	0.0000000
-.0098050	-.0523610	0.9670100	0.1127460
0.0000000	1.0000000	0.0000000	0.0000000
-.0443730	0.4295190	0.6658950	-.0243880
0.0000000	0.0000000	1.0000000	0.0000000
-.0167820	0.0295500	0.9923910	-.0073450
1.0000000	0.0000000	0.0000000	0.0000000
0.2570350	0.8071260	-.0410930	0.0012030
0.0000000	0.0000000	1.0000000	0.0000000
0.1077770	0.2995170	0.5686810	-.0037240
0.0000000	0.0000000	1.0000000	0.0000000
0.0469960	0.1925610	0.7960600	-.0284510
0.0000000	1.0000000	0.0000000	0.0000000
0.0634090	1.0545961	-.1410500	0.0255230

0.0000000	1.0000000	0.0000000	0.0000000
0.0566790	0.7088700	0.2316220	-.0091260
0.0000000	0.0000000	1.0000000	0.0000000
-.0553310	0.3122050	0.7709890	-.0214850
0.0000000	1.0000000	0.0000000	0.0000000
0.0838170	1.0055360	-.0901010	0.0303030
0.0000000	1.0000000	0.0000000	0.0000000
0.0025010	-.0560730	0.1025770	0.9314800
0.0000000	0.0000000	1.0000000	0.0000000
-.0034340	-.0732180	1.0775440	0.0072030
0.0000000	0.0000000	1.0000000	0.0000000
0.0106620	0.1587810	0.0074320	0.7458900
0.0000000	1.0000000	0.0000000	0.0000000
0.1055930	0.7838840	0.0977290	0.0365400
0.0000000	0.0000000	1.0000000	0.0000000
-.0079120	0.2309640	0.7896980	-.0003480
0.0000000	1.0000000	0.0000000	0.0000000
0.0334450	0.3025930	0.6580500	-.0221150
0.0000000	1.0000000	0.0000000	0.0000000
0.0736250	0.9723620	-.0462340	0.0056480
1.0000000	0.0000000	0.0000000	0.0000000
0.1126020	0.8874920	0.0254760	-.0133160
0.0000000	1.0000000	0.0000000	0.0000000
0.2724520	0.8079460	-.0545160	-.0065220
0.0000000	1.0000000	0.0000000	0.0000000
0.1235340	0.7709490	0.0866300	0.0285540
0.0000000	1.0000000	0.0000000	0.0000000
0.0420360	0.9688140	-.0257300	0.0304160
0.0000000	1.0000000	0.0000000	0.0000000
0.2115200	0.8104260	-.0148080	-.0140950
0.0000000	0.0000000	1.0000000	0.0000000
0.0097620	0.5686050	0.4011580	-.0007000
0.0000000	0.0000000	1.0000000	0.0000000
0.0257810	0.0378690	0.9478270	-.0104570
1.0000000	0.0000000	0.0000000	0.0000000
0.2045240	0.7560000	0.0431760	0.0166120
0.0000000	1.0000000	0.0000000	0.0000000
0.0025010	-.0560730	0.1025770	0.9314800
0.0000000	1.0000000	0.0000000	0.0000000
0.0678290	0.5320260	0.3812660	0.0241470
1.0000000	0.0000000	0.0000000	0.0000000
0.2224860	0.8293160	-.0114310	-.0127700
0.0000000	1.0000000	0.0000000	0.0000000
0.0297930	1.0196460	-.1003800	-.0530960

0.0000000	0.0000000	1.0000000	0.0000000
-.0140000	-.0572210	1.0901750	-.0121940
0.0000000	0.0000000	0.0000000	1.0000000
0.0104970	-.0509270	0.5695100	0.4815310
0.0000000	1.0000000	0.0000000	0.0000000
0.0792540	0.5489560	0.3625110	0.0028370
0.0000000	1.0000000	0.0000000	0.0000000
0.0318140	1.2644790	-.2771470	-.0942170
0.0000000	0.0000000	1.0000000	0.0000000
0.0812140	0.0262790	0.9271930	-.0243490
0.0000000	0.0000000	1.0000000	0.0000000
-.0144140	-.0277120	1.0674740	-.0219530
0.0000000	1.0000000	0.0000000	0.0000000
0.0904430	0.2745620	0.5141070	0.0589340
1.0000000	0.0000000	0.0000000	0.0000000
0.3793790	0.7703600	-.1038240	-.0314190
0.0000000	1.0000000	0.0000000	0.0000000
0.2893720	0.6648810	0.0362160	-.0029980
0.0000000	1.0000000	0.0000000	0.0000000
0.0429950	0.5959520	0.2650390	-.0201180
0.0000000	0.0000000	1.0000000	0.0000000
-.0118750	-.0244420	0.9250640	0.1123990
0.0000000	0.0000000	1.0000000	0.0000000
0.0109440	0.0116640	0.3237390	0.5988100
0.0000000	0.0000000	1.0000000	0.0000000
-.0115940	0.0463710	1.0262030	-.0476840
0.0000000	1.0000000	0.0000000	0.0000000
0.3726490	0.6911690	-.0606050	-.0717160
0.0000000	1.0000000	0.0000000	0.0000000
0.1904490	0.7829460	0.0423080	-.0042350
0.0000000	1.0000000	0.0000000	0.0000000
-.0524160	0.8609930	0.1503790	0.0274210
0.0000000	0.0000000	0.0000000	1.0000000
-.0114710	-.0488510	0.3114200	0.7460810
0.0000000	0.0000000	1.0000000	0.0000000
0.1126630	0.3477900	0.5449260	-.0432890
1.0000000	0.0000000	0.0000000	0.0000000
0.1968880	0.5646750	0.2314230	-.0389830
0.0000000	1.0000000	0.0000000	0.0000000
-.0360440	1.3192110	-.3232770	-.1446300
0.0000000	1.0000000	0.0000000	0.0000000
0.1338660	1.2671680	-.3089040	-.1449850
0.0000000	1.0000000	0.0000000	0.0000000

0.0000000	0.0000000	1.0000000	0.0000000
-.0272330	-.0161900	1.0547690	-.0124810
0.0000000	0.0000000	1.0000000	0.0000000
-.0709180	0.1215040	0.8810600	0.0558300

0.0000000	1.0000000	0.0000000	0.0000000
-.0004700	1.0312361	-.0752660	0.0126520
0.0000000	1.0000000	0.0000000	0.0000000
0.1623730	0.8240900	0.0083980	0.0162730
0.0000000	1.0000000	0.0000000	0.0000000
-.0236310	0.3071430	0.5201930	0.1164590
0.0000000	0.0000000	1.0000000	0.0000000
0.0128960	-.0422250	1.0484120	-.0180650
0.0000000	0.0000000	1.0000000	0.0000000
0.0171160	-.0366690	0.9977960	0.0323950
0.0000000	1.0000000	0.0000000	0.0000000
0.2300700	0.6945310	0.0824030	0.0034330
0.0000000	1.0000000	0.0000000	0.0000000
0.0616810	1.1552629	-.1909430	-.0311630
0.0000000	1.0000000	0.0000000	0.0000000
-.0170160	0.5427440	0.5450770	-.0769460
0.0000000	1.0000000	0.0000000	0.0000000
0.1170650	0.8895970	0.0059570	-.0019750
0.0000000	0.0000000	1.0000000	0.0000000
-.0255870	0.0500930	0.9724050	-.0075140
0.0000000	1.0000000	0.0000000	0.0000000
0.4119790	0.9896040	-.2251980	-.0248270
0.0000000	0.0000000	1.0000000	0.0000000
0.0451350	0.1226840	0.7767060	0.0270430
0.0000000	0.0000000	1.0000000	0.0000000
0.0236340	-.0641930	1.0348051	0.0164360
0.0000000	1.0000000	0.0000000	0.0000000
0.0465250	0.9727370	-.0508400	-.0279710
0.0000000	1.0000000	0.0000000	0.0000000
0.3801020	0.9594120	-.1825150	-.0939900
0.0000000	0.0000000	1.0000000	0.0000000
-.0288590	0.0216540	1.0283890	-.0122020
0.0000000	0.0000000	1.0000000	0.0000000
0.0762690	-.0249920	0.7326920	0.1842110
0.0000000	0.0000000	1.0000000	0.0000000
-.0213970	0.0041060	1.0354080	-.0120920
0.0000000	0.0000000	1.0000000	0.0000000
0.0369190	0.1437220	0.8189040	-.0215380
0.0000000	0.0000000	1.0000000	0.0000000
0.0564860	-.0821140	0.4565970	0.5749920
0.0000000	1.0000000	0.0000000	0.0000000
0.0108520	1.2844720	-.3004060	-.1289750
0.0000000	1.0000000	0.0000000	0.0000000
0.1074770	1.2846140	-.3168890	-.1252520

0.0000000	1.0000000	0.0000000	0.0000000
0.1120370	0.5656690	0.3098300	0.0157090
0.0000000	1.0000000	0.0000000	0.0000000
0.2589940	0.7961050	-.0280490	0.0025950
0.0000000	0.0000000	0.0000000	1.0000000
-.0022960	-.0714750	0.2770760	0.7987600
0.0000000	0.0000000	1.0000000	0.0000000
0.0050530	0.0378780	0.9863670	-.0307630
0.0000000	1.0000000	0.0000000	0.0000000
0.0779300	0.2168990	0.7682240	-.0944150
0.0000000	1.0000000	0.0000000	0.0000000
0.1854540	0.8729050	-.0866720	-.0063430
0.0000000	0.0000000	1.0000000	0.0000000
0.0125800	0.1944960	0.8020800	-.0156430
0.0000000	1.0000000	0.0000000	0.0000000
-.0994130	0.7273070	0.4036640	-.0506970
0.0000000	1.0000000	0.0000000	0.0000000
0.2005920	0.1580040	0.6552310	-.0447070
0.0000000	0.0000000	1.0000000	0.0000000
0.0167030	-.0468040	0.7222720	0.3129020
0.0000000	1.0000000	0.0000000	0.0000000
-.0181150	0.5153530	0.5573140	-.1102670
0.0000000	1.0000000	0.0000000	0.0000000
-.0901460	1.2201771	-.1431250	-.0999240
0.0000000	0.0000000	1.0000000	0.0000000
0.0009210	0.0148940	0.9305940	0.0413430
0.0000000	1.0000000	0.0000000	0.0000000
-.1491260	0.2494090	0.9499740	-.0115150
0.0000000	1.0000000	0.0000000	0.0000000
0.0650990	0.4175590	0.5082210	0.0138570
0.0000000	0.0000000	1.0000000	0.0000000
0.0016430	0.0234620	0.9985090	-.0203840
0.0000000	1.0000000	0.0000000	0.0000000
-.0590370	0.1315090	0.9425830	-.0186320
0.0000000	0.0000000	0.0000000	1.0000000
-.0375100	-.0242250	0.1327700	0.8986340
0.0000000	0.0000000	0.0000000	1.0000000
-.0376920	0.1482960	0.4119930	0.4077360
0.0000000	1.0000000	0.0000000	0.0000000
0.1743700	0.2678430	-.0883830	0.5021640
0.0000000	0.0000000	1.0000000	0.0000000
0.0273300	-.0626300	1.0539200	-.0093870
0.0000000	0.0000000	1.0000000	0.0000000

0.0000000	1.0000000	0.0000000	0.0000000
0.1714100	0.8815440	-.0519400	-.0414860
0.0000000	0.0000000	1.0000000	0.0000000
-.0249370	0.0279260	1.0169430	-.0186500
0.0000000	1.0000000	0.0000000	0.0000000
0.1063690	0.7598500	0.1072920	0.0242400
0.0000000	0.0000000	0.0000000	1.0000000
0.0016200	-.0632240	0.3365380	0.7250760
0.0000000	0.0000000	0.0000000	1.0000000
0.0234070	-.0706470	0.4447150	0.6130890
0.0000000	0.0000000	1.0000000	0.0000000
-.0171040	0.1350910	0.9148550	-.0314960
0.0000000	0.0000000	0.0000000	1.0000000
0.0116580	-.0608040	0.2700960	0.7729250
0.0000000	1.0000000	0.0000000	0.0000000
0.1946710	0.8838000	-.0449040	-.0306090
1.0000000	0.0000000	0.0000000	0.0000000
0.3373360	0.2069690	0.2541190	0.0288120
0.0000000	1.0000000	0.0000000	0.0000000
0.1266890	0.4110430	0.4328880	0.0026350
0.0000000	1.0000000	0.0000000	0.0000000
-.0437460	1.2994630	-.3112980	-.0962960
0.0000000	0.0000000	0.0000000	1.0000000
-.0200420	-.0282510	0.5885670	0.4657630
0.0000000	0.0000000	1.0000000	0.0000000
0.0686150	0.2300500	0.7035330	-.0027750
0.0000000	0.0000000	1.0000000	0.0000000
0.0568410	0.2669630	0.6791240	0.0106950
0.0000000	0.0000000	1.0000000	0.0000000
0.1066970	0.1813060	0.1078190	0.5122030
1.0000000	0.0000000	0.0000000	0.0000000
0.0763510	1.0180210	-.0619840	-.0430250
0.0000000	0.0000000	1.0000000	0.0000000
-.0386240	0.0222170	1.0248880	-.0098790
0.0000000	1.0000000	0.0000000	0.0000000
0.0650840	0.9071880	0.0204170	0.0191930
0.0000000	0.0000000	1.0000000	0.0000000
-.0243030	0.0517370	0.9908970	-.0230040
0.0000000	1.0000000	0.0000000	0.0000000
-.0306710	0.4048010	0.6808700	-.0695500
0.0000000	0.0000000	1.0000000	0.0000000
-.0449740	-.0268800	0.9783730	0.1046820
0.0000000	0.0000000	1.0000000	0.0000000

0.0000000	0.0000000	1.0000000	0.0000000
0.0257680	0.2557750	0.7301110	-.0209220
0.0000000	1.0000000	0.0000000	0.0000000
0.0338050	0.7073760	0.2247330	0.0179820
0.0000000	0.0000000	1.0000000	0.0000000
0.1071980	0.0585120	0.8420760	-.0165780
0.0000000	1.0000000	0.0000000	0.0000000
0.0946440	0.5415550	0.3504710	0.0045550
0.0000000	0.0000000	1.0000000	0.0000000
-.0420140	0.0010300	0.9781770	0.0598820
0.0000000	1.0000000	0.0000000	0.0000000
0.0557580	1.1397930	-.1850890	-.0720860
0.0000000	1.0000000	0.0000000	0.0000000
0.5573330	0.5490050	-.0776910	-.0442970
0.0000000	1.0000000	0.0000000	0.0000000
0.0083910	0.4199850	0.7605510	-.1104490
0.0000000	0.0000000	1.0000000	0.0000000
0.0282280	0.2518320	0.7306590	-.0046050
0.0000000	0.0000000	1.0000000	0.0000000
0.1134560	0.0946390	0.8226890	-.0207470
0.0000000	1.0000000	0.0000000	0.0000000
-.0543790	1.1116370	-.1128620	-.0652670
0.0000000	0.0000000	1.0000000	0.0000000
-.0205080	-.0470300	1.0821050	-.0137290
0.0000000	0.0000000	1.0000000	0.0000000
0.1772780	0.4156950	0.3883860	-.0073780
0.0000000	1.0000000	0.0000000	0.0000000
0.2247470	0.6626370	0.1143010	-.0250350
0.0000000	1.0000000	0.0000000	0.0000000
0.0336450	0.5426640	0.4183500	-.0499270
0.0000000	1.0000000	0.0000000	0.0000000
0.0961170	0.5122910	0.3714050	-.0007120
0.0000000	0.0000000	1.0000000	0.0000000
-.1246180	0.3901650	0.7890680	-.0117730
0.0000000	1.0000000	0.0000000	0.0000000
-.0522300	0.4391380	0.6338930	-.0044200
0.0000000	1.0000000	0.0000000	0.0000000
0.2340040	0.8222850	-.0349350	0.0257420
0.0000000	1.0000000	0.0000000	0.0000000
0.2580330	0.7552880	-.0116850	-.0337050
0.0000000	1.0000000	0.0000000	0.0000000
-.0104880	0.9604370	0.0020060	-.0300410
0.0000000	0.0000000	1.0000000	0.0000000

0.0000000	0.0000000	0.0000000	1.0000000
-.0019640	-.0656540	0.6196660	0.4783860
0.0000000	1.0000000	0.0000000	0.0000000
0.0739210	0.7340700	0.1638150	0.0225150
0.0000000	1.0000000	0.0000000	0.0000000
0.0351700	0.4647600	0.5302750	-.0184780
0.0000000	1.0000000	0.0000000	0.0000000
-.0093280	0.8176180	0.2444830	-.0428380
0.0000000	0.0000000	1.0000000	0.0000000
0.0023900	-.0665930	1.0181800	0.0576090
0.0000000	0.0000000	1.0000000	0.0000000
0.0036720	0.5319190	-.0804580	0.4820500
0.0000000	1.0000000	0.0000000	0.0000000
-.0338950	1.1781790	-.1937680	-.0356460
0.0000000	1.0000000	0.0000000	0.0000000
0.2397830	1.0635650	-.1478490	-.1105000
0.0000000	1.0000000	0.0000000	0.0000000
0.0726810	1.0812590	-.1561240	-.0414210
0.0000000	0.0000000	1.0000000	0.0000000
-.0396250	0.1421230	0.9229780	-.0202230
0.0000000	0.0000000	1.0000000	0.0000000
-.0265090	-.0016060	1.0246590	0.0000910
1.0000000	0.0000000	0.0000000	0.0000000
0.2539330	0.8907770	-.0730520	-.0369690
0.0000000	0.0000000	1.0000000	0.0000000
-.0195380	-.0637350	1.0829940	0.0039600
0.0000000	1.0000000	0.0000000	0.0000000
0.1882140	0.0991950	-.0437540	0.6939110
0.0000000	0.0000000	0.0000000	1.0000000
-.0100900	-.0371010	0.1509660	0.8750090
0.0000000	1.0000000	0.0000000	0.0000000
-.0311930	0.6878010	0.3603930	-.0122320
0.0000000	0.0000000	0.0000000	1.0000000
0.0246280	-.0717820	0.2883120	0.7582490
0.0000000	1.0000000	0.0000000	0.0000000
0.0039810	1.2680360	-.2898710	-.0503100
0.0000000	1.0000000	0.0000000	0.0000000
0.0988890	0.7881220	0.0962340	0.0356230
0.0000000	0.0000000	1.0000000	0.0000000
-.0547690	0.0661670	0.9920040	-.0118300
0.0000000	1.0000000	0.0000000	0.0000000
0.1421910	0.9250360	-.0764240	0.0028670
0.0000000	0.0000000	1.0000000	0.0000000

0.0000000	0.0000000	1.0000000	0.0000000
0.0118020	0.1295640	0.8698000	-.0121790
0.0000000	1.0000000	0.0000000	0.0000000
0.2081740	0.6489080	0.1239350	0.0135770
0.0000000	1.0000000	0.0000000	0.0000000
0.2911660	0.7165520	-.0457390	-.0030080
0.0000000	0.0000000	1.0000000	0.0000000
0.0123180	0.0246940	0.9857600	-.0099650
0.0000000	1.0000000	0.0000000	0.0000000
-.0239920	1.1548600	-.1758400	0.0148730
0.0000000	1.0000000	0.0000000	0.0000000
0.1309740	0.7345300	0.1202000	0.0221450
0.0000000	1.0000000	0.0000000	0.0000000
0.1800540	0.0329030	0.5451480	0.1375160
0.0000000	0.0000000	1.0000000	0.0000000
0.1351400	0.1558790	0.5298040	0.0850240
0.0000000	0.0000000	1.0000000	0.0000000
0.0157510	-.0676410	0.5745950	0.4977300
0.0000000	1.0000000	0.0000000	0.0000000
0.4391510	0.2089590	-.2173520	0.6791070
0.0000000	0.0000000	1.0000000	0.0000000
-.0020980	-.0083940	1.0465291	-.0296300
1.0000000	0.0000000	0.0000000	0.0000000
-.0430980	1.0776790	-.0667810	-.0056610
0.0000000	0.0000000	0.0000000	1.0000000
-.0191860	-.0724990	0.7998910	0.3331940
0.0000000	0.0000000	1.0000000	0.0000000
0.0679080	0.3819480	0.5446730	0.0197240
0.0000000	1.0000000	0.0000000	0.0000000
0.4103760	1.1788830	-.2950510	-.1180200
0.0000000	0.0000000	0.0000000	1.0000000
0.0622940	-.0311900	0.0217160	0.9175530
0.0000000	1.0000000	0.0000000	0.0000000
0.1471840	0.8476030	-.0538350	-.0649750
0.0000000	1.0000000	0.0000000	0.0000000
0.1391510	0.7154580	0.1340390	0.0232280
0.0000000	0.0000000	0.0000000	1.0000000
-.0078600	-.0486870	0.3019140	0.7455280
0.0000000	0.0000000	1.0000000	0.0000000
-.0303070	-.0096430	0.8836950	0.1408110
0.0000000	1.0000000	0.0000000	0.0000000
0.0039780	0.8618390	0.0979940	0.0333690
0.0000000	1.0000000	0.0000000	0.0000000

0.0000000	0.0000000	1.0000000	0.0000000
-.0097700	-.0753660	1.0522701	0.0473190
0.0000000	1.0000000	0.0000000	0.0000000
0.1523350	1.0785530	-.1893520	0.0040300
0.0000000	0.0000000	1.0000000	0.0000000
-.0298640	0.0717890	0.9772990	-.0170310
0.0000000	0.0000000	1.0000000	0.0000000
-.0068090	0.1033760	0.9253000	-.0101330
0.0000000	1.0000000	0.0000000	0.0000000
0.0473610	0.5879930	0.3226870	-.0673500
0.0000000	1.0000000	0.0000000	0.0000000
-.0649800	1.0624570	-.0058420	-.0190000
0.0000000	1.0000000	0.0000000	0.0000000
0.1462670	0.6164670	-.0121730	0.1008870
0.0000000	1.0000000	0.0000000	0.0000000
0.4458060	0.7479170	-.1460620	-.0787630
0.0000000	0.0000000	1.0000000	0.0000000
-.0330620	0.2798940	0.7783660	-.0143480
0.0000000	0.0000000	1.0000000	0.0000000
-.0277070	0.0150340	1.0229830	-.0158050
0.0000000	0.0000000	1.0000000	0.0000000
-.0341150	0.0194720	1.0038000	0.0030740
0.0000000	1.0000000	0.0000000	0.0000000
0.0371350	0.8369770	0.1104360	0.0222160
0.0000000	1.0000000	0.0000000	0.0000000
-.1053020	0.3384730	0.7787350	-.0049150
0.0000000	1.0000000	0.0000000	0.0000000
0.2065120	1.0341330	-.1606380	-.0084220
0.0000000	1.0000000	0.0000000	0.0000000
0.0392450	0.4688640	0.4769720	-.0068430
0.0000000	1.0000000	0.0000000	0.0000000
-.0783880	0.3167850	0.7555830	-.0095050
0.0000000	0.0000000	1.0000000	0.0000000
0.0084510	-.0480850	1.0520380	-.0107390
0.0000000	0.0000000	1.0000000	0.0000000
0.0530670	0.1119680	0.8576050	-.0296730
0.0000000	1.0000000	0.0000000	0.0000000
0.0352800	0.9326120	-.0015580	0.0393150
0.0000000	0.0000000	1.0000000	0.0000000
-.0084090	0.0036800	1.0330060	-.0215820
0.0000000	0.0000000	1.0000000	0.0000000
-.0162630	-.0437350	1.0209380	0.0442630
0.0000000	0.0000000	1.0000000	0.0000000

0.0000000	1.0000000	0.0000000	0.0000000
0.0198730	1.0985780	-.1019490	-.0635860
0.0000000	0.0000000	1.0000000	0.0000000
-.0836060	0.2853200	0.8802540	-.0588830
0.0000000	0.0000000	1.0000000	0.0000000
-.0429280	0.2709630	0.8079980	-.0340600
0.0000000	1.0000000	0.0000000	0.0000000
0.0383490	0.2180260	0.7396380	0.0040500
0.0000000	1.0000000	0.0000000	0.0000000
0.5502980	0.8011980	-.1817040	-.0307290
0.0000000	1.0000000	0.0000000	0.0000000
0.2430900	0.5292540	0.1812390	-.0341530
0.0000000	0.0000000	1.0000000	0.0000000
0.0251270	0.0427030	0.4656090	0.4105670
0.0000000	1.0000000	0.0000000	0.0000000
0.0582840	1.1676030	-.2125860	0.0209920
0.0000000	1.0000000	0.0000000	0.0000000
0.2650230	0.7670500	0.0042020	-.0140530
0.0000000	0.0000000	0.0000000	1.0000000
0.0450660	-.0240060	0.0470940	0.8990410
0.0000000	1.0000000	0.0000000	0.0000000
0.0878450	0.8778570	0.0078430	0.0057470
1.0000000	0.0000000	0.0000000	0.0000000
-.1342410	1.2141210	-.1058900	-.1392060
0.0000000	1.0000000	0.0000000	0.0000000
0.0903080	0.8497780	0.0589640	-.0007750
0.0000000	0.0000000	1.0000000	0.0000000
-.0800590	0.0898920	0.8292540	0.1354020
1.0000000	0.0000000	0.0000000	0.0000000
0.1052290	0.8284120	0.0513610	-.0030210
0.0000000	1.0000000	0.0000000	0.0000000
0.0513610	0.6628610	0.2723410	-.0108410
0.0000000	0.0000000	0.0000000	1.0000000
-.0142910	-.0682640	0.4403020	0.6688300
0.0000000	0.0000000	1.0000000	0.0000000
-.0124620	0.0127340	1.0214900	-.0187450
0.0000000	0.0000000	1.0000000	0.0000000
-.0132810	0.0429980	0.9904110	-.0147540
0.0000000	0.0000000	1.0000000	0.0000000
-.0272010	-.0356140	1.0384320	0.0289100
0.0000000	1.0000000	0.0000000	0.0000000
0.0175110	1.0031670	-.0511710	-.0399750
0.0000000	0.0000000	1.0000000	0.0000000

0.0000000	0.0000000	1.0000000	0.0000000
0.0248680	-.0624620	1.0235660	0.0199150
0.0000000	1.0000000	0.0000000	0.0000000
0.0086470	0.9474710	0.0342350	-.0190190
0.0000000	0.0000000	0.0000000	1.0000000
-.0065350	-.0712320	0.1460080	0.9225390
0.0000000	1.0000000	0.0000000	0.0000000
0.0301340	0.2524910	0.4310090	0.1698250
0.0000000	0.0000000	1.0000000	0.0000000
0.0177280	0.0107070	0.9606180	0.0089310
0.0000000	0.0000000	0.0000000	1.0000000
-.0109870	-.0709790	0.9869040	0.1182670
0.0000000	0.0000000	1.0000000	0.0000000
-.0091970	0.0207570	0.9815780	0.0034380
0.0000000	0.0000000	0.0000000	1.0000000
-.0287950	-.0287560	0.7643670	0.3024440
0.0000000	0.0000000	1.0000000	0.0000000
-.0392950	0.0040040	0.7539240	0.2806770
0.0000000	0.0000000	1.0000000	0.0000000
0.0766910	-.0320410	0.9965740	-.0243570
0.0000000	0.0000000	1.0000000	0.0000000
0.0651930	0.2020670	0.7294560	-.0129520
0.0000000	0.0000000	1.0000000	0.0000000
0.0314540	0.3090560	0.6228980	0.0043350
0.0000000	1.0000000	0.0000000	0.0000000
-.0212000	0.5453620	0.4878420	-.0159960
0.0000000	1.0000000	0.0000000	0.0000000
0.2820860	0.9457710	-.1359370	-.0623150
0.0000000	1.0000000	0.0000000	0.0000000
0.2551000	0.7944080	-.0507880	-.0150970
0.0000000	0.0000000	1.0000000	0.0000000
-.0213640	0.0316690	1.0090760	-.0167720
0.0000000	0.0000000	1.0000000	0.0000000
-.0141160	-.0138600	1.0205300	0.0082320
0.0000000	1.0000000	0.0000000	0.0000000
0.1872920	0.8627480	-.0087140	-.0305600
0.0000000	1.0000000	0.0000000	0.0000000
0.3070690	0.8305990	-.0854280	-.0338020
0.0000000	0.0000000	1.0000000	0.0000000
0.0937120	-.0550700	0.9091240	0.0614570
0.0000000	1.0000000	0.0000000	0.0000000
0.0018350	0.9739220	0.0300930	-.0117230
0.0000000	1.0000000	0.0000000	0.0000000

0.0000000	1.0000000	0.0000000	0.0000000
0.1066500	0.5272910	0.3550160	-.0215020
0.0000000	1.0000000	0.0000000	0.0000000
0.1503550	0.7481880	0.0728460	-.0058750